ELSEVIER

Neuroscience Letters 321 (2002) 196–198

Neuroscience Letters

www.elsevier.com/locate/neulet

Contents to Volume 321

Volume 321, nos. 1–2

Guidelines for the submission of manuscripts v

Inhibition of mitochondrial Na^+/Ca^{2+} exchange by 7-chloro-5-(2-chlorophenyl)-1,5-dihydro-4,1-benzothiazepin-2(3H)-one attenuates free fatty acid efflux in rat cerebral cortex during ischemia-reperfusion injury
J.G. Pilitsis, F.G. Diaz, M.H. O'Regan, J.W. Phillis (USA) 1

Effects of hyperoxia on human sensorimotor cortex activity produced by electrical stimulation of the median nerve: a functional magnetic resonance imaging study
M. Boakye, B.R. Krauss, S.C. Huckins, L. Zhang, N.M. Szeverenyi, C.J. Hodge Jr. (USA) 5

NMDAR-2C and 2D subunits gene expression is induced in brain by neonatal exposure of monosodium L-glutamate to adult rats
C. Beas-Zárate, M.E. Flores-Soto, J. Armendariz-Borunda (Mexico) 9

The insecticide imidacloprid is a partial agonist of the nicotinic receptor of honeybee Kenyon cells
P. Déglise, B. Grünewald, M. Gauthier (France, Germany) 13

Anandamide inhibits excitatory transmission to rat substantia gelatinosa neurones in a manner different from that of capsaicin
C. Luo, E. Kumamoto, H. Furue, J. Chen, M. Yoshimura (Japan, China) 17

Overexpression of semicarbazide sensitive amine oxidase in the cerebral blood vessels in patients with Alzheimer's disease and cerebral autosomal dominant arteriopathy with subcortical infarcts and leukoencephalopathy
I. Ferrer, J.M. Lizcano, M. Hernández, M. Unzeta (Spain) 21

Repeated experience of social defeats increases serotonin transporter and monoamine oxidase A mRNA levels in raphe nuclei of male mice
M.L. Filipenko, A.G. Beilina, O.V. Alekseyenko, V.V. Dolgov, N.N. Kudryavtseva (Russia) 25

Glyceraldehyde-3-phospate dehydrogenase is translocated into nuclei through Golgi apparatus during apoptosis induced by 6-hydroxydopamine in human dopaminergic SH-SY5Y cells
W. Maruyama, T. Oya-Ito, M. Shamoto-Nagai, T. Osawa, M. Naoi (Japan) 29

Differential effects of remacemide and desglycinyl-remacemide on epileptiform burst firing in the rat hippocampal slice
S. Santangeli, G.J. Sills, T.W. Stone, M.J. Brodie (UK) 33

Inhibitory zinc-enriched terminals in the mouse cerebellum: double-immunohistochemistry for zinc transporter 3 and glutamate decarboxylase
Z. Wang, G. Danscher, Y.K. Kim, A. Dahlstrom, S.M. Jo (Sweden, Denmark, South Korea) 37

Retinoic acid influences Phox2 expression of cardiac ganglionic cells in the developing rat heart
T. Shoba, S.T. Dheen, S.S.W. Tay (Singapore) 41

GPI1046 prevents dopaminergic dysfunction by activating glutathione system in the mouse striatum
K.-i. Tanaka, M. Yoshioka, I. Miyazaki, N. Fujita, N. Ogawa (Japan) 45

Normal development of serotonergic neurons in mice lacking S100B
H. Nishiyama, M. Takemura, T. Takeda, S. Itohara (Japan) 49

The neuroimmunophilin GPI-1046 partially protects against 3-acetylpyridine toxicity in the rat
S.J. Moss, B. Birkestrand, S.C. Fowler (USA) 53

Differences in white matter architecture between musicians and non-musicians: a diffusion tensor imaging study
V.J. Schmithorst, M. Wilke (USA) 57

Lithium inhibits amyloid secretion in COS7 cells transfected with amyloid precursor protein C100
X. Sun, S. Sato, O. Murayama, M. Murayama, J.-M. Park, H. Yamaguchi, A. Takashima (Japan) 61

Quetiapine attenuates the immobilization stress-induced decrease of brain-derived neurotrophic factor expression in rat hippocampus
H. Xu, H. Qing, W. Lu, D. Keegan, J.S. Richardson, J. Chlan-Fourney, X.-M. Li (Canada, China) 65

Dexterity is not affected by fatigue-induced depression of human motor cortex excitability
J.P. Lazarski, M.C. Ridding, T.S. Miles (Australia) 69

Erythropoietin restores glutathione peroxidase activity in 1-methyl-4-phenyl-1,2,5,6-tetrahydropyridine-induced neurotoxicity in C57BL mice and stimulates murine astroglial glutathione peroxidase production in vitro
S. Genc, M. Akhisaroglu, F. Kuralay, K. Genc (Turkey) 73

Mental set can modulate response onset in the lower limb muscles to falls in humans
S.N. Fu, C.W.Y. Hui-Chan (Hong Kong) 77
Thioredoxin suppresses 1-methyl-4-phenylpyridinium-induced neurotoxicity in rat PC12 cells
J. Bai, H. Nakamura, I. Hattori, M. Tanito, J. Yodoi (Japan) 81
Behavioral, hormonal and histological stress markers of anxiety-separation in postnatal rats are reduced by prepro-thyrotropin-releasing hormone 178–199
C.E. Stahl, E. Redei, Y. Wang, C.V. Borlongan (USA, Taiwan) 85
Long-term changes in calbindin D_{28K} immunoreactivity in the rat hippocampus after cardiac arrest
M. Sadowski, J.W. Lazarewicz, K. Jakubowska-Sadowska, H.M. Wisniewski, M.J. Mossakowski, W.T. Brown (USA, Poland) 90
Neither the density nor function of striatal dopamine transporters were influenced by chronic n-3 polyunsaturated fatty acid deficiency in rodents
E. Kodas, G. Page, L. Zimmer, S. Vancassel, D. Guilloteau, G. Durand, S. Chalon (France) 95
Beneficial effects of α-lipoic acid plus vitamin E on neurological deficit, reactive gliosis and neuronal remodeling in the penumbra of the ischemic rat brain
O. Gonzalez-Perez, R.E. Gonzalez-Castañeda, M. Huerta, S. Luquin, U. Gomez-Pinedo, E. Sanchez-Almaraz, A. Navarro-Ruiz, J. Garcia-Estrada (Mexico) 100
Water-soluble chitosan inhibits the production of pro-inflammatory cytokine in human astrocytoma cells activated by amyloid β peptide and interleukin-1β
M.-S. Kim, M.-J. Sung, S.-B. Seo, S.-J. Yoo, W.-K. Lim, H.-M. Kim (South Korea) 105
S-adenosyl-L-methionine prevents 5-HT_{1A} receptors up-regulation induced by acute imipramine in the frontal cortex of the rat
I. Bellido, A. Gomez-Luque, A. Plaza, F. Rius, P. Ortiz, F. Sanchez de la Cuesta (Spain) 110
A brain nitric oxide synthase study in the rat: production of a nitroso-compound NA and absence of nitric oxide synthesis
A. Meulemans (France) 115
Baclofen inhibits ANP-mediated cyclic GMP synthesis in the rat cervical spinal cord
A.J.A. de Louw, J. de Vente, H.P.J. Steinbusch, H.W.M. Steinbusch, J. Troost, J.S.H. Vles (The Netherlands) 120
Elimination of phenolsulfonphthalein from the cerebrospinal fluid via capillaries in central nervous system in cats by active transport
M. Zmajević, M. Klarica, R. Varda, N. Kudelić, M. Bulat (Croatia) 123

Contents continued 126

Volume 321, no. 3

Obituary for Bernd-Ulrich Meyer and Simone Röricht
A. Pascual-Leone, K.M. Einhäupl, S.-A. Brandt (USA, Germany) 127
Spatial reorganization of cortical motor output maps of stump muscles in human upper-limb amputees
K. Irlbacher, B.-U. Meyer, M. Voss, S.A. Brandt, S. Röricht (Germany) 129
Asymmetrical mismatch negativity in humans as determined by phonetic but not physical difference
K. Ikeda, A. Hayashi, S. Hashimoto, K. Otomo, A. Kanno (Japan) 133
Aminophylline aggravates long-term morphological and cognitive damages in status epilepticus in immature rats
L.-T. Huang, C.-W. Liou, S.N. Yang, M.-C. Lai, P.-L. Hung, T.-J. Wang, S.-C. Cheng, C.-L. Wu (Taiwan) 137
Extracellular serine protease neuropsin (KLK8) modulates neurite outgrowth and fasciculation of mouse hippocampal neurons in culture
T. Oka, M. Akisada, A. Okabe, K. Sakurai, S. Shiosaka, K. Kato (Japan) 141
Neural regulation of hepatic blood flow in rats: an in vivo study
M. Kurosawa, T. Unno, Y. Aikawa, M. Yoneda (Japan) 145
Herpes simplex virus type 1-mediated transfer of neurotrophin-3 stimulates survival of chicken auditory sensory neurons
E. Carnicero, M. Knipper, J. Tan, M.T. Alonso, T. Schimmang (Spain, Germany) 149
Insulin-induced expression of the activity-regulated cytoskeleton-associated gene (ARC) in human neuroblastoma cells requires $p21^{ras}$, mitogen-activated protein kinase/extracellular regulated kinase and *src* tyrosine kinases but is protein kinase C-independent
J. Kremerskothen, D. Wendholt, I. Teber, A. Barnekow (Germany) 153
Immunocytochemical observation of ghrelin-containing neurons in the rat arcuate nucleus
S. Lu, J.-L. Guan, Q.-P. Wang, K. Uehara, S. Yamada, N. Goto, Y. Date, M. Nakazato, M. Kojima, K. Kangawa, S. Shioda (Japan) 157
Brain oxytocin augments stress-induced long-lasting plasma adrenocorticotropic hormone elevation in rats
T. Nakashima, T. Noguchi, T. Furukawa, M. Yamasaki, S. Makino, S. Miyata, T. Kiyohara (Japan) 161
Analysis of association between the Gln192Arg polymorphism of the paraoxonase gene and schizophrenia in humans
C. Matsumoto, O. Ohmori, H. Hori, T. Shinkai, J. Nakamura (Japan) 165
Human brain cytosolic histamine-N-methyltransferase is decreased in Down syndrome and increased in Pick's disease
S.H. Kim, K. Krapfenbauer, M.S. Cheon, M. Fountoulakis, N.J. Cairns, G. Lubec (Austria, Switzerland, UK) 169
Magnetic responses of human visual cortex to illusory contours
Y. Ohtani, S. Okamura, T. Shibasaki, A. Arakawa, Y. Yoshida, K. Toyama, Y. Ejima (Japan) 173

Cloning and expression of the human *N*-methyl-D-aspartate receptor subunit NR3A
M. Eriksson, A. Nilsson, S. Froelich-Fabre, E. Åkesson, J. Dunker, Å. Seiger, R. Folkesson, E. Benedikz, E. Sundström (Sweden) 177
Caspase-3-associated apoptotic cell death in excitotoxic necrosis of the entorhinal cortex following intraperitoneal injection of kainic acid in the rat
B. Puig, I. Ferrer (Spain) 182
Calpain activation and α-spectrin cleavage in rat brain by ethanol
Y. Rajgopal, M.C. Vemuri (India) 187

Author Index to Volume 321 192
Contents to Volume 321 196